ELSEVIER

Molecular Brain Research 32 (1995) 358–360

MOLECULAR BRAIN RESEARCH

Author Index

Agarwal, N., see Jaynes, C.D. (32) 329
Ann, D.K., see Wick, M.J. (32) 171
Arai, A., see Vanderklish, P. (32) 25

Becker, S., see Reichmuth, C. (32) 45
Benson, D.L., see Murray, K.D. (32) 221
Benz, M., see Reichmuth, C. (32) 45
Birman, S., see O'Regan, S. (32) 135
Black, I.B., see Kim, T.-W. (32) 36
Blanchard, D.C., see Watanabe, Y. (32) 176
Blanchard, R.J., see Watanabe, Y. (32) 176
Bloch, B., see Jaber, M. (32) 156
Brewer, G., see Keiger, C.J. (32) 75
Buchner, E., see Reichmuth, C. (32) 45
Bult, A., see Sharma, E. (32) 87

Carvalho, A.P., see Gonçalves, P.P. (32) 161
Chatellard-Causse, C., see Cristina, N. (32) 354
Chen, H., Zhang, L., Rubinow, D.R. and Chuang, D.-M.
Chronic buspirone treatment differentially regulates 5-HT_{1A} and 5-HT_{2A} receptor mRNA and binding sites in various regions of the rat hippocampus (32) 348
Cheng, X., see Duncan, M.J. (32) 181
Chikada, N., see Imaki, T. (32) 261
Childers, S.R., see Kluttz, B.W. (32) 313
Christie, D., see Dragunow, M. (32) 279
Chuang, D.-M., see Chen, H. (32) 348
Chue, C.-H., see Sasahara, M. (32) 63
Clayton, D.F., see Wallace, C.S. (32) 211
Cristina, N., Chatellard-Causse, C., Manier, M. and Feuerstein, C.
GDNF: existence of a second transcript in the brain (32) 354

Danoff, S., see Nucifora, Jr., F.C. (32) 291
Debel, K., see Reichmuth, C. (32) 45
De Lecea, L., Del Río, J.A. and Soriano, E.
Developmental expression of parvalbumin mRNA in the cerebral cortex and hippocampus of the rat (32) 1
Del Río, J.A., see De Lecea, L. (32) 1
Demura, H., see Imaki, T. (32) 261
Dodd, J., see Dragunow, M. (32) 279
Dragunow, M., Preston, K., Dodd, J., Young, D., Lawlor, P. and Christie, D.
Clusterin accumulates in dying neurons following status epilepticus (32) 279
Du, Y., see Nagano, T. (32) 14
Duncan, M.J., Cheng, X. and Heller, K.S.
Photoperiodic exposure and time of day modulate the expression of arginine vasopressin mRNA and vasoactive intestinal peptide mRNA in the suprachiasmatic nuclei of Siberian hamsters (32) 181
Dworkin, S.I., see Kluttz, B.W. (32) 313

Escribá, P.V., Ozaita, A., Miralles, A., Reis, D.J. and García-Sevilla, J.A.
Molecular characterization and isolation of a 45-kilodalton imidazoline receptor protein from the rat brain (32) 187

Feuerstein, C., see Cristina, N. (32) 354
Fletcher, D.L., see Zhang, S.X. (32) 252
Fukuda, K., see Ueda, H. (32) 166
Fukushima, N., see Ueda, H. (32) 166

Gall, C., see Vanderklish, P. (32) 25
Gall, C.M., see Murray, K.D. (32) 221
García-Sevilla, J.A., see Escribá, P.V. (32) 187
George, J.M., see Wallace, C.S. (32) 211
Gonçalves, P.P. and Carvalho, A.P.
Dual role of K^+ and Na^+ on the transport of [^{3}H]-γ-aminobutyric acid by synaptic plasma membrane vesicles (32) 161
Greenough, W.T., see Wallace, C.S. (32) 211

Harada, S., see Imaki, T. (32) 261
Hayase, Y., see Sasahara, M. (32) 63
Hazama, F., see Sasahara, M. (32) 63
Heimbeck, G., see Reichmuth, C. (32) 45
Heller, K.S., see Duncan, M.J. (32) 181
Hervé, D., Rogard, M. and Lévi-Strauss, M.
Molecular analysis of the multiple Golf α subunit mRNAs in the rat brain (32) 125
Hieber, V., see Ueda, H. (32) 151
Hiremagalur, B. and Sabban, E.L.
Nicotine elicits changes in expression of adrenal catecholamine biosynthetic enzymes, neuropeptide Y and immediate early genes by injection but not continuous administration (32) 109
Hofbauer, A., see Reichmuth, C. (32) 45
Honda, S., Kagoshima, M., Wanaka, A., Tohyama, M., Matsumoto, K. and Nakamura, T.
Localization and functional coupling of HGF and c-Met/HGF receptor in rat brain: implication as neurotrophic factor (32) 197
Hsu, C., Janicki, S. and Monteiro, M.J.
The first intron of the mouse neurofilament light gene (NF-L) increases gene expression (32) 241

Iacopino, A.M., see Ng, M.C. (32) 82
Ibata, Y., see Kanemasa, K. (32) 55
Iihara, K., see Sasahara, M. (32) 63
Imaizumi, K., Katoh, T., Tsuda, M., Takagi, T. and Kiyama, H.
GAP-43 mRNA suppression by the ribozyme in PC12 cells and inhibition of evoked dopamine release (32) 338
Imaki, T., Xiao-Quan, W., Shibasaki, T., Harada, S., Chikada, N., Takahashi, C., Naruse, M. and Demura, H.
Chlordiazepoxide attenuates stress-induced activation of neurons, corticotropin-releasing factor (CRF) gene transcription and CRF biosynthesis in the paraventricular nucleus (PVN) (32) 261
Isackson, P.J., see Murray, K.D. (32) 221

Jaber, M., Normand, E. and Bloch, B.
Effect of reserpine treatment on enkephalin mRNA level in the rat striatum: an in situ hybridization study (32) 156
Janicki, S., see Hsu, C. (32) 241
Jaynes, C.D., Sheedlo, H.J., Agarwal, N., O'Rourke, K. and Turner, J.E.
Müller and retinal pigment epithelial (RPE) cell expression of NGFI-A and c-*fos* mRNA in response to medium conditioned by the RPE (32) 329
Jenner, P., see Jolkkonen, J. (32) 297
Jolkkonen, J., Jenner, P. and Marsden, C.D.
L-DOPA reverses altered gene expression of substance P but not enkephalin in the caudate-putamen of common marmosets treated with MPTP (32) 297
Jones, E.G., see Murray, K.D. (32) 221

Kagoshima, M., see Honda, S. (32) 197
Kanemasa, K., Okamura, H., Kodama, T. and Ibata, Y.
Induction of VGF mRNA in neurons of the rat nucleus tractus solitarius and the dorsal motor nucleus of vagus in duodenal ulceration by cysteamine (32) 55
Katoh, T., see Imaizumi, K. (32) 338
Keiger, C.J., O'Steen, W.K., Brewer, G., Sorci-Thomas, M., Zehnder, T.J. and Rose, J.C.
Cortisol up-regulates corticotropin releasing factor gene expression in the fetal ovine brainstem at 0.70 gestation (32) 75
Kim, T.-W., Wu, K., Xu, J.-L., McAuliffe, G., Tanzi, R.E., Wasco, W. and Black, I.B.

ELSEVIER

Molecular Brain Research 32 (1995) 358–360

MOLECULAR BRAIN RESEARCH

Author Index

Agarwal, N., see Jaynes, C.D. (32) 329
Ann, D.K., see Wick, M.J. (32) 171
Arai, A., see Vanderklish, P. (32) 25

Becker, S., see Reichmuth, C. (32) 45
Benson, D.L., see Murray, K.D. (32) 221
Benz, M., see Reichmuth, C. (32) 45
Birman, S., see O'Regan, S. (32) 135
Black, I.B., see Kim, T.-W. (32) 36
Blanchard, D.C., see Watanabe, Y. (32) 176
Blanchard, R.J., see Watanabe, Y. (32) 176
Bloch, B., see Jaber, M. (32) 156
Brewer, G., see Keiger, C.J. (32) 75
Buchner, E., see Reichmuth, C. (32) 45
Bult, A., see Sharma, E. (32) 87

Carvalho, A.P., see Gonçalves, P.P. (32) 161
Chatellard-Causse, C., see Cristina, N. (32) 354
Chen, H., Zhang, L., Rubinow, D.R. and Chuang, D.-M.
Chronic buspirone treatment differentially regulates 5-HT_{1A} and 5-HT_{2A} receptor mRNA and binding sites in various regions of the rat hippocampus (32) 348
Cheng, X., see Duncan, M.J. (32) 181
Chikada, N., see Imaki, T. (32) 261
Childers, S.R., see Kluttz, B.W. (32) 313
Christie, D., see Dragunow, M. (32) 279
Chuang, D.-M., see Chen, H. (32) 348
Chue, C.-H., see Sasahara, M. (32) 63
Clayton, D.F., see Wallace, C.S. (32) 211
Cristina, N., Chatellard-Causse, C., Manier, M. and Feuerstein, C.
GDNF: existence of a second transcript in the brain (32) 354

Danoff, S., see Nucifora, Jr., F.C. (32) 291
Debel, K., see Reichmuth, C. (32) 45
De Lecea, L., Del Río, J.A. and Soriano, E.
Developmental expression of parvalbumin mRNA in the cerebral cortex and hippocampus of the rat (32) 1
Del Río, J.A., see De Lecea, L. (32) 1
Demura, H., see Imaki, T. (32) 261
Dodd, J., see Dragunow, M. (32) 279
Dragunow, M., Preston, K., Dodd, J., Young, D., Lawlor, P. and Christie, D.
Clusterin accumulates in dying neurons following status epilepticus (32) 279
Du, Y., see Nagano, T. (32) 14
Duncan, M.J., Cheng, X. and Heller, K.S.
Photoperiodic exposure and time of day modulate the expression of arginine vasopressin mRNA and vasoactive intestinal peptide mRNA in the suprachiasmatic nuclei of Siberian hamsters (32) 181
Dworkin, S.I., see Kluttz, B.W. (32) 313

Escribá, P.V., Ozaita, A., Miralles, A., Reis, D.J. and García-Sevilla, J.A.
Molecular characterization and isolation of a 45-kilodalton imidazoline receptor protein from the rat brain (32) 187

Feuerstein, C., see Cristina, N. (32) 354
Fletcher, D.L., see Zhang, S.X. (32) 252
Fukuda, K., see Ueda, H. (32) 166
Fukushima, N., see Ueda, H. (32) 166

Gall, C., see Vanderklish, P. (32) 25
Gall, C.M., see Murray, K.D. (32) 221
García-Sevilla, J.A., see Escribá, P.V. (32) 187
George, J.M., see Wallace, C.S. (32) 211
Gonçalves, P.P. and Carvalho, A.P.
Dual role of K^+ and Na^+ on the transport of [^{3}H]-γ-aminobutyric acid by synaptic plasma membrane vesicles (32) 161
Greenough, W.T., see Wallace, C.S. (32) 211

Harada, S., see Imaki, T. (32) 261
Hayase, Y., see Sasahara, M. (32) 63
Hazama, F., see Sasahara, M. (32) 63
Heimbeck, G., see Reichmuth, C. (32) 45
Heller, K.S., see Duncan, M.J. (32) 181
Hervé, D., Rogard, M. and Lévi-Strauss, M.
Molecular analysis of the multiple Golf α subunit mRNAs in the rat brain (32) 125
Hieber, V., see Ueda, H. (32) 151
Hiremagalur, B. and Sabban, E.L.
Nicotine elicits changes in expression of adrenal catecholamine biosynthetic enzymes, neuropeptide Y and immediate early genes by injection but not continuous administration (32) 109
Hofbauer, A., see Reichmuth, C. (32) 45
Honda, S., Kagoshima, M., Wanaka, A., Tohyama, M., Matsumoto, K. and Nakamura, T.
Localization and functional coupling of HGF and c-Met/HGF receptor in rat brain: implication as neurotrophic factor (32) 197
Hsu, C., Janicki, S. and Monteiro, M.J.
The first intron of the mouse neurofilament light gene (NF-L) increases gene expression (32) 241

Iacopino, A.M., see Ng, M.C. (32) 82
Ibata, Y., see Kanemasa, K. (32) 55
Iihara, K., see Sasahara, M. (32) 63
Imaizumi, K., Katoh, T., Tsuda, M., Takagi, T. and Kiyama, H.
GAP-43 mRNA suppression by the ribozyme in PC12 cells and inhibition of evoked dopamine release (32) 338
Imaki, T., Xiao-Quan, W., Shibasaki, T., Harada, S., Chikada, N., Takahashi, C., Naruse, M. and Demura, H.
Chlordiazepoxide attenuates stress-induced activation of neurons, corticotropin-releasing factor (CRF) gene transcription and CRF biosynthesis in the paraventricular nucleus (PVN) (32) 261
Isackson, P.J., see Murray, K.D. (32) 221

Jaber, M., Normand, E. and Bloch, B.
Effect of reserpine treatment on enkephalin mRNA level in the rat striatum: an in situ hybridization study (32) 156
Janicki, S., see Hsu, C. (32) 241
Jaynes, C.D., Sheedlo, H.J., Agarwal, N., O'Rourke, K. and Turner, J.E.
Müller and retinal pigment epithelial (RPE) cell expression of NGFI-A and c-*fos* mRNA in response to medium conditioned by the RPE (32) 329
Jenner, P., see Jolkkonen, J. (32) 297
Jolkkonen, J., Jenner, P. and Marsden, C.D.
L-DOPA reverses altered gene expression of substance P but not enkephalin in the caudate-putamen of common marmosets treated with MPTP (32) 297
Jones, E.G., see Murray, K.D. (32) 221

Kagoshima, M., see Honda, S. (32) 197
Kanemasa, K., Okamura, H., Kodama, T. and Ibata, Y.
Induction of VGF mRNA in neurons of the rat nucleus tractus solitarius and the dorsal motor nucleus of vagus in duodenal ulceration by cysteamine (32) 55
Katoh, T., see Imaizumi, K. (32) 338
Keiger, C.J., O'Steen, W.K., Brewer, G., Sorci-Thomas, M., Zehnder, T.J. and Rose, J.C.
Cortisol up-regulates corticotropin releasing factor gene expression in the fetal ovine brainstem at 0.70 gestation (32) 75
Kim, T.-W., Wu, K., Xu, J.-L., McAuliffe, G., Tanzi, R.E., Wasco, W. and Black, I.B.

Selective localization of amyloid precursor-like protein 1 in the cerebral cortex postsynaptic density (32) 36
Kiyama, H., see Imaizumi, K. (32) 338
Kiyama, H., see Yao, G.L. (32) 308
Klagges, B., see Reichmuth, C. (32) 45
Kluttz, B.W., Vrana, K.E., Dworkin, S.I. and Childers, S.R.
Effects of morphine on forskolin-stimulated pro-enkephalin mRNA levels in rat striatum: a model for acute and chronic opioid actions in brain (32) 313
Kodama, T., see Kanemasa, K. (32) 55

Lahiri, D.K. and Nall, C.
Promoter activity of the gene encoding the beta-amyloid precursor protein is up-regulated by growth factors, phorbol ester, retinoic acid and interleukin-1 (32) 233
Laurie, D.J., Putzke, J., Zieglgänsberger, W., Seeburg, P.H. and Tölle, T.R.
The distribution of splice variants of the NMDAR1 subunit mRNA in adult rat brain (32) 94
Lawlor, P., see Dragunow, M. (32) 279
Lévi-Strauss, M., see Hervé, D. (32) 125
Li, S.-H., see Nucifora, Jr., F.C. (32) 291
Linnik, M.D., Miller, J.A., Sprinkle-Cavallo, J., Mason, P.J., Thompson, F.Y., Montgomery, L.R. and Schroeder, K.K.
Apoptotic DNA fragmentation in the rat cerebral cortex induced by permanent middle cerebral artery occlusion (32) 116
Loh, H.H., see Wick, M.J. (32) 171
Loh, H.H., see Wick, M.J. (32) 342
Lombroso, P.J., see Sharma, E. (32) 87
Lynch, G., see Vanderklish, P. (32) 25

Madhok, T.C., Matta, S.G. and Sharp, B.M.
Nicotine regulates nicotinic cholinergic receptors and subunit mRNAs in PC 12 cells through protein kinase A (32) 143
Manier, M., see Cristina, N. (32) 354
Marsden, C.D., see Jolkkonen, J. (32) 297
Mason, P.J., see Linnik, M.D. (32) 116
Matsumoto, K., see Honda, S. (32) 197
Matta, S.G., see Madhok, T.C. (32) 143
McAuliffe, G., see Kim, T.-W. (32) 36
McEwen, B.S., see Watanabe, Y. (32) 176
McKittrick, C.R., see Watanabe, Y. (32) 176
Meunier, F.-M., see O'Regan, S. (32) 135
Miller, J.A., see Linnik, M.D. (32) 116
Minnerath, S.R., see Wick, M.J. (32) 342
Miralles, A., see Escribá, P.V. (32) 187
Misu, Y., see Ueda, H. (32) 166
Miyamae, T., see Ueda, H. (32) 166
Monteiro, M.J., see Hsu, C. (32) 241
Montgomery, L.R., see Linnik, M.D. (32) 116
Mori, Y., see Nagano, T. (32) 14
Murray, K.D., Gall, C.M., Benson, D.L., Jones, E.G. and Isackson, P.J.
Decreased expression of the alpha subunit of Ca^{2+}/calmodulin-dependent protein kinase type II mRNA in the adult rat CNS following recurrent limbic seizures (32) 221

Nagano, T., Sato, M., Mori, Y., Du, Y., Takagi, H. and Tohyama, M.
Regional distribution of messenger RNA encoding the insulin-like growth factor type 2 receptor in the rat lower brainstem (32) 14
Nakai, Y., see Nakayama, H. (32) 321
Nakamura, T., see Honda, S. (32) 197
Nakashima, T., see Nakayama, H. (32) 321
Nakayama, H., Shioda, S., Okuda, H., Nakashima, T. and Nakai, Y.
Immunocytochemical localization of nicotinic acetylcholine receptor in rat cerebral cortex (32) 321
Nall, C., see Lahiri, D.K. (32) 233
Naruse, M., see Imaki, T. (32) 261
Ng, M.C. and Iacopino, A.M.
Quantitative measurement of neuronal calbindin-D_{28k} by radioimmunocytochemistry (32) 82
Normand, E., see Jaber, M. (32) 156
Nucifora, Jr., F.C., Li, S.-H., Danoff, S., Ullrich, A. and Ross, C.A.
Molecular cloning of a cDNA for the human inositol 1,4,5-trisphosphate receptor type 1, and the identification of a third alternatively spliced variant (32) 291

Okamura, H., see Kanemasa, K. (32) 55
Okuda, H., see Nakayama, H. (32) 321
Orchinik, M., see Weiland, N.G. (32) 271
O'Regan, S., Birman, S. and Meunier, F.-M.
Regulation of hemicholinium-3 sensitive choline uptake in *Xenopus laevis* oocytes by the second C2 domain of synaptotagmin (32) 135
O'Rourke, K., see Jaynes, C.D. (32) 329
O'Steen, W.K., see Keiger, C.J. (32) 75
Ozaita, A., see Escribá, P.V. (32) 187

Pflugfelder, G.O., see Reichmuth, C. (32) 45
Preston, K., see Dragunow, M. (32) 279
Putzke, J., see Laurie, D.J. (32) 94

Ramakrishnan, S., see Wick, M.J. (32) 342
Reichmuth, C., Becker, S., Benz, M., Debel, K., Reisch, D., Heimbeck, G., Hofbauer, A., Klagges, B., Pflugfelder, G.O. and Buchner, E.
The *sap*47 gene of *Drosophila melanogaster* codes for a novel conserved neuronal protein associated with synaptic terminals (32) 45
Reis, D.J., see Escribá, P.V. (32) 187
Reisch, D., see Reichmuth, C. (32) 45
Rogard, M., see Hervé, D. (32) 125
Rose, J.C., see Keiger, C.J. (32) 75
Ross, C.A., see Nucifora, Jr., F.C. (32) 291
Roy, S., see Wick, M.J. (32) 342
Rubinow, D.R., see Chen, H. (32) 348

Sabban, E.L., see Hiremagalur, B. (32) 109
Saido, T.C., see Vanderklish, P. (32) 25
Sakai, R.R., see Watanabe, Y. (32) 176
Sasahara, M., Sato, H., Iihara, K., Wang, J., Chue, C.-H., Takayama, S., Hayase, Y. and Hazama, F.
Expression of platelet-derived growth factor B-chain in the mature rat brain and pituitary gland (32) 63
Sasaki, Y., see Ueda, H. (32) 166
Sato, H., see Sasahara, M. (32) 63
Sato, M., see Nagano, T. (32) 14
Schroeder, K.K., see Linnik, M.D. (32) 116
Seeburg, P.H., see Laurie, D.J. (32) 94
Sharma, E., Zhao, F., Bult, A. and Lombroso, P.J.
Identification of two alternatively spliced transcripts of STEP: a subfamily of brain-enriched protein tyrosine phosphatases (32) 87
Sharp, B.M., see Madhok, T.C. (32) 143
Sheedlo, H.J., see Jaynes, C.D. (32) 329
Shibasaki, T., see Imaki, T. (32) 261
Shioda, S., see Nakayama, H. (32) 321
Sorci-Thomas, M., see Keiger, C.J. (32) 75
Soriano, E., see De Lecea, L. (32) 1
Sprinkle-Cavallo, J., see Linnik, M.D. (32) 116
Sun, G.Y., see Zhang, S.X. (32) 252

Takagi, H., see Nagano, T. (32) 14
Takagi, T., see Imaizumi, K. (32) 338
Takahashi, C., see Imaki, T. (32) 261
Takayama, S., see Sasahara, M. (32) 63
Takeshima, H., see Ueda, H. (32) 166
Tanzi, R.E., see Kim, T.-W. (32) 36
Thompson, F.Y., see Linnik, M.D. (32) 116
Tohyama, M., see Honda, S. (32) 197
Tohyama, M., see Nagano, T. (32) 14
Tölle, T.R., see Laurie, D.J. (32) 94
Tsuda, M., see Imaizumi, K. (32) 338
Turner, J.E., see Jaynes, C.D. (32) 329

Ueda, H. and Hieber, V.
Down-regulation of AMPA-type glutamate receptor gene expression during goldfish optic nerve regeneration (32) 151
Ueda, H., Miyamae, T., Fukushima, N., Takeshima, H., Fukuda, K., Sasaki, Y. and Misu, Y.
Opioid μ- and κ-receptor mediate phospholipase C activation through Gi1 in *Xenopus* oocytes (32) 166
Ullrich, A., see Nucifora, Jr., F.C. (32) 291

Vanderklish, P., Saido, T.C., Gall, C., Arai, A. and Lynch, G.
Proteolysis of spectrin by calpain accompanies theta-burst stimulation in cultured hippocampal slices (32) 25
Vrana, K.E., see Kluttz, B.W. (32) 313

Wallace, C.S., Withers, G.S., Weiler, I.J., George, J.M., Clayton, D.F. and Greenough, W.T.
Correspondence between sites of NGFI-A induction and sites of morphological plasticity following exposure to environmental complexity (32) 211
Wanaka, A., see Honda, S. (32) 197
Wang, J., see Sasahara, M. (32) 63
Wasco, W., see Kim, T.-W. (32) 36
Watanabe, Y., McKittrick, C.R., Blanchard, D.C., Blanchard, R.J., McEwen, B.S. and Sakai, R.R.
Effects of chronic social stress on tyrosine hydroxylase mRNA and protein levels (32) 176

Weiland, N.G. and Orchinik, M.
Specific subunit mRNAs of the $GABA_A$ receptor are regulated by progesterone in subfields of the hippocampus (32) 271
Weiler, I.J., see Wallace, C.S. (32) 211
Wick, M.J., Ann, D.K. and Loh, H.H.
Molecular cloning of a novel protein regulated by opioid treatment of NG108-15 cells (32) 171
Wick, M.J., Minnerath, S.R., Roy, S., Ramakrishnan, S. and Loh, H.H.
Expression of alternate forms of brain opioid 'orphan' receptor mRNA in activated human peripheral blood lymphocytes and lymphocytic cell lines (32) 342
Withers, G.S., see Wallace, C.S. (32) 211
Wu, K., see Kim, T.-W. (32) 36

Xiao-Quan, W., see Imaki, T. (32) 261
Xu, J.-L., see Kim, T.-W. (32) 36

Yao, G.L. and Kiyama, H.
Dexamethasone enhances level of GAP-43 mRNA after nerve injury and facilitates reprojection of the hypoglossal nerve (32) 308
Young, D., see Dragunow, M. (32) 279

Zehnder, T.J., see Keiger, C.J. (32) 75
Zhang, J.-P., see Zhang, S.X. (32) 252
Zhang, L., see Chen, H. (32) 348
Zhang, S.X., Zhang, J.-P., Fletcher, D.L., Zoeller, R.T. and Sun, G.Y.
In situ hybridization of mRNA expression for IP_3 receptor and IP_3-3-kinase in rat brain after transient focal cerebral ischemia (32) 252
Zhao, F., see Sharma, E. (32) 87
Zieglgänsberger, W., see Laurie, D.J. (32) 94
Zoeller, R.T., see Zhang, S.X. (32) 252